

## MICHELIN® AIR X® GENERAL AVIATION RADIAL AIRCRAFT TIRES

| Size          | Ply Rating | Speed (MPH) | Part Number | Brand            | TL/TT | Special | Average Wt. (lbs.) | Pallet Ord. Qty | Applications   |
|---------------|------------|-------------|-------------|------------------|-------|---------|--------------------|-----------------|--|
| 14.5x5.5R6    |            | 225         | M08301      | Michelin® Air X® | TL    | CH      | 8                  | 54              | Falcon 20, 50, 200, 2000 (NLG)                             |
| 14.5x5.5R6    |            | 225         | M15201-01   | Michelin® Air X® | TL    | CH      | 8                  | 54              | Falcon 2000EX (NLG)  |
| 16x4.4R8      | 10         | 210         | M15601      | Michelin® Air X® | TL    | CH      | 10                 | 30              | Cessna Sovereign, Citation X (NLG) - Gulfstream G150 (NLG) |
| 16x4.4R8      | 12         | 190         | M16201      | Michelin® Air X® | TL    |         | 10                 | 30              | Pilatus PC21 (NLG)   |
| 16x6.0R6      | 12         | 225         | M17201      | Michelin® Air X® | TL    | CH      | 11                 | 36              | Falcon F7X (NLG)   |
| 17.5x5.75R8   |            | 225         | M13301      | Michelin® Air X® | TL    | CH      | 11                 | 30              | Falcon 900 (NLG)   |
| 18x5.5R8      | 8          | 160         | M16901      | Michelin® Air X® | TL    |         | 10                 | 36              | Eclipse 500 (MLG)  |
| 20x4.4R12     | 14         | 190         | M16301      | Michelin® Air X® | TL    |         | 14                 | 36              | Pilatus PC21 (MLG)   |
| 23.5x8.0R12   | 14         | 190         | M13702      | Michelin® Air X® | TL    |         | 24                 | 20              | Cessna Citation Excel, XLS (MLG)                           |
| 26x6.6R14     | 14         | 225         | M15101-01   | Michelin® Air X® | TL    |         | 22                 | 20              | Falcon 20, 50, 200, 2000, 2000EX, Gulfstream G200 (MLG)    |
| 26x6.6R14     | 12         | 210         | M14401      | Michelin® Air X® | TL    |         | 24                 | 20              | Cessna Sovereign, Citation X (MLG)                         |
| 26x6.6R14     | 14         | 225         | M08401      | Michelin® Air X® | TL    |         | 22                 | 20              | Hawker 4000 (MLG)  |
| 29x7.7R15     |            | 225         | M06201      | Michelin® Air X® | TL    |         | 31                 | 25              | Falcon 900 (MLG)   |
| H32x10.5R16.5 | 16         | 225         | M18901      | Michelin® Air X® | TL    |         | 44                 | 10              | Falcon F7X (MLG)   |

## MICHELIN® AIR™ & AVIATOR® GENERAL AVIATION BIAS AIRCRAFT TIRES

| Size        | Ply Rating | Speed (MPH) | Part Number | Brand              | TL/TT | Special | Average Wt. (lbs.) | Pallet Ord. Qty | Applications   |
|-------------|------------|-------------|-------------|--------------------|-------|---------|--------------------|-----------------|--|
| 11.00-12    | 10         | 160         | 021-355-0   | Michelin® Aviator® | TL    |         | 46                 | 6               | IAI 201, Bombardier DHC6, Casa 212, 235 (MLG)  |
| 11.00-12    | 8          | 160         | 021-354-2*  | Michelin® Aviator® | TL    |         | 46                 | 6               | Beech 18, Bombardier DHC6, Pilatus PC6, PC12 (MLG)   |
| 15x6.0-6    | 6          | 160         | 061-501-0   | Michelin® Aviator® | TT    |         | 7                  | 45              | Beech 17, 24, Baron 58, 60, 77 - Bellanca 1730, 1731 - Cessna 172, 177, 182RG (MLG) - Cessna 336, 337 - Rockwell Int'l 695, 700, 840 (NLG) |
| 15x6.0-6    | 6          | 160         | 070-449-0   | Michelin® Air™     | TT    |         | 7                  | 45              | Cessna 172, 177, 182 - Cirrus SR20, SR22 (MLG) - Cessna 336, 337 (NLG)   |
| 16x4.4      | 8          | 160         | 021-606-0   | Michelin® Aviator® | TL    |         | 9                  | 56              | Raytheon T6A Texan - Pilatus PC9 - Embraer Xingu - Fairchild SA226 (NLG)   |
| 16x4.4      | 8          | 160         | 079-606-0   | Michelin® Air™     | TL    | CHDU    | 9                  | 56              | Cessna Mustang (NLG)   |
| 17.5x5.75-8 | 12         | 210         | 038-627-0   | Michelin® Aviator® | TL    |         | 14                 | 36              | Learjet 20, 31, 35, 36 (MLG)   |
| 17.5x6.25-6 | 10         | 120         | 061-326-0   | Michelin® Air™     | TT    |         | 11                 | 30              | Piper PA31, 42 (NLG)   |
| 17.5x6.25-6 | 8          | 160         | 021-327-0   | Michelin® Air™     | TL    |         | 11                 | 30              | Pilatus PC-12 (NLG)  |
| 18x4.25-10  | 6          | 210         | 031-595-0   | Michelin® Air™     | TL    | CH      | 11                 | 30              | Hawker 700, 800, 800XP, 1000 (NLG)   |
| 18x4.4      | 12         | 210         | 027-614-0   | Michelin® Air™     | TL    | CH      | 13                 | 42              | Hawker 4000 (NLG)  |
| 18x4.4      | 10         | 210         | 031-613-8   | Michelin® Air™     | TL    | CHDU    | 12                 | 42              | Hawker Beechjet 400A - Cessna CJ2+, CJ3, Citation I, II, III, V, VI, VII, Bravo, Encore, Encore+, Excel, XLS (NLG) - Learjet 40, 45        |
| 18x4.4      | 12         | 210         | 031-614-0   | Michelin® Air™     | TL    | CH      | 13                 | 42              | Bombardier Challenger 600, 601, 604 (NLG)  |
| 18x4.4      | 10         | 210         | 031-613-4   | Michelin® Air™     | TL    | CH      | 13                 | 42              | Gulfstream G200 (NLG)  |
| 18x4.4      | 10         | 210         | 031-613-5   | Michelin® Air™     | TL    | CHDU    | 12                 | 42              | Learjet 31, 35, 36, 55, (NLG)  |
| 18x4.4      | 6          | 190         | 030-611-0   | Michelin® Air™     | TL    | CHDU    | 13                 | 42              | Cessna CJ, CJ1, CJ1+, CJ2 (NLG)  |

\* Limited production.

NOTE: All weights have been rounded down to the nearest 0.5 lb. for freight calculation purposes.



# MICHELIN® AIR™ & AVIATOR® GENERAL AVIATION BIAS AIRCRAFT TIRES

| Size                   | Ply Rating | Speed (MPH) | Part Number | Brand              | TL/TT | Special | Average Wt. (lbs.) | Pallet Ord. Qty | Applications  |
|------------------------|------------|-------------|-------------|--------------------|-------|---------|--------------------|-----------------|---|
| 18x4.4                 | 10         | 190         | 031-613-2   | Michelin® Air™     | TL    | CHDU    | 12                 | 42              | Cessna Citation III, VI, VII (NLG) * Citation III over 20,000 lbs MTOW  |
| 18x4.4                 | 6          | 190         | 019-611-0   | Michelin® Air™     | TL    | CHDU    | 9                  | 42              | Hawker Premier 1 (NLG)  |
| 18x4.4                 | 6          | 160         | 021-611-0   | Michelin® Aviator® | TL    |         | 8                  | 42              | Fairchild SA226, 227, Piper PA31 (NLG)  |
| 18x5.5                 | 10         | 210         | 033-631-0   | Michelin® Air™     | TL    |         | 14                 | 36              | Beech King Air 200, 55 (MLG) - Socata TBM 700, 850 (MLG)  |
| 18x5.5                 | 8          | 190         | 028-630-0   | Michelin® Aviator® | TL    |         | 12                 | 36              | Beech King Air 200, 99, 100 - Cessna 337 -Socata TBM700 (MLG) - Bombardier DHC8 - Embraer EMB120, Fairchild SA226 (NLG) |
| 19.5x6.75-8            | 10         | 160         | 021-335-1   | Michelin® Aviator® | TL    |         | 14                 | 30              | Beech King Air 300, Baron 58, 60 - Fairchild SA226, 227 (MLG)   |
| 19.5x6.75-8            | 10         | 190         | 026-335-1   | Michelin® Aviator® | TL    |         | 17                 | 30              | Beech 1900, C, D (NLG)  |
| 19.5x6.75-8            | 10         | 160         | 061-335-1   | Michelin® Aviator® | TT    |         | 14                 | 30              | Beech King Air 300, Baron 58, 60 (MLG)  |
| 20x4.4                 | 8          | 160         | 028-619-0   | Michelin® Aviator® | TL    |         | 13                 | 36              | Pilatus PC9 (MLG)   |
| 21x7.25-10             | 10         | 210         | 031-506-1   | Michelin® Air™     |       | CH      | 19                 | 20              | Gulfstream II, III, IV (NLG)  |
| 22x5.75-12             | 10         | 190         | 026-520-0   | Michelin® Air™     | TL    |         | 20                 | 20              | Cessna Citation III, VI, VII (MLG) - Falcon 10 (MLG)  |
| 22x6.75-10             | 10         | 190         | 026-524-0   | Michelin® Air™     | TL    |         | 18                 | 30              | Beech King Air 200 (NLG), Beech 1900D (MLG), IJT36 (MLG)  |
| 22x6.75-10             | 8          | 160         | 021-523-0   | Michelin® Aviator® | TL    |         | 16                 | 20              | Beech 1900C (MLG), King Air 300 & 200 (NLG) - Tucano S312 (MLG) - Cessna Mustang (MLG)                                  |
| 22x7.75-10             | 12         | 190         | 026-528-0   | Michelin® Air™     | TL    |         | 20                 | 20              | Cessna CJ, CJ1, CJ1+, CJ2, CJ2+ (MLG)   |
| 22x7.75-10             | 10         | 160         | 021-527-0   | Michelin® Air™     | TL    |         | 19                 | 20              | Cessna 404 Titan, 441 Conquest II (MLG)   |
| 22x8.0-10              | 12         | 190         | 028-700-0   | Michelin® Aviator® | TL    |         | 27                 | 24              | Cessna Citation SII, V, Ultra (MLG)   |
| 22x8.0-10              | 10         | 190         | 028-699-1   | Michelin® Aviator® | TL    |         | 24                 | 24              | Cessna Citation I (MLG)   |
| 22x8.0-10              | 12         | 190         | 026-700-0   | Michelin® Air™     | TL    |         | 30                 | 24              | Cessna Citation V (MLG)   |
| 22x8.0-8               | 8          | 120         | 024-560-0   | Michelin® Air™     | TL    |         | 14                 | 20              | Cessna 208 (NLG)  |
| 23x7.0-12              | 12         | 210         | 033-504-0   | Michelin® Air™     | TL    |         | 26                 | 20              | Hawker 800, 800XP, 1000 (MLG)   |
| 23x7.0-12              | 12         | 210         | 027-504-0   | Michelin® Air™     | TL    |         | 27                 | 20              | Gulfstream G150 (MLG)   |
| 24x7.7                 | 14         | 210         | 038-675-2   | Michelin® Air™     | TL    |         | 26                 | 20              | Hawker Beechjet 400A - Mitsubishi MU-300 (MLG)  |
| 29x11.0-10             | 10         | 160         | 076-446-1   | Michelin® Air™     | TL    |         | 35                 | 10              | Cessna 208 (MLG)  |
| 29x11.0-10             | 10         | 160         | 077-446-1*  | Michelin® Aviator® | TL    |         | 31                 | 10              | Cessna 208 (MLG)  |
| 34x9.25-16             | 18         | 210         | 033-841-0   | Michelin® Air™     | TL    |         | 72                 | 8               | Gulfstream II, IIB, III, IV (MLG)   |
| 380x150-5<br>15x6.00-5 | 6          | 120         | 070-544-0   | Michelin® Air™     | TT    |         | 7                  | 45              | Robin   |
| 5.00-5                 | 8          | 160         | 070-310-0   | Michelin® Air™     | TL    |         | 6                  | 54              | Eclipse 500 (NLG)   |
| 5.00-5                 | 6          | 120         | 071-312-0   | Michelin® Aviator® | TT    |         | 6                  | 54              |   |
| 5.00-5                 | 6          | 120         | 070-312-0   | Michelin® Air™     | TT    |         | 6                  | 54              | Cirrus SR20, SR22 (NLG)   |
| 5.00-5                 | 10         | 120         | 071-311-0   | Michelin® Aviator® | TT/TL |         | 6                  | 54              |   |
| 5.00-5                 | 8          | 160         | 021-310-0   | Michelin® Aviator® | TL    |         | 7                  | 54              | Eurocopter Tigre (TLG)  |
| 5.00-5                 | 4          | 120         | 070-308-0   | Michelin® Air™     | TT    |         | 6                  | 54              |   |
| 6.00-6                 | 8          | 160         | 061-317-1*  | Michelin® Aviator® | TT    |         | 9                  | 42              | Pilatus PC7 (NLG)   |
| 6.00-6                 | 6          | 120         | 070-314-0   | Michelin® Air™     | TT    |         | 9                  | 42              |   |
| 6.00-6                 | 6          | 120         | 071-314-0   | Michelin® Aviator® | TT    |         | 9                  | 42              |   |
| 6.00-6                 | 8          | 120         | 070-317-0   | Michelin® Air™     | TT    |         | 9                  | 42              |   |

\* Limited production.

NOTE: All weights have been rounded down to the nearest 0.5 lb. for freight calculation purposes.



# MICHELIN® AIR™ & AVIATOR® GENERAL AVIATION BIAS AIRCRAFT TIRES

| Size       | Ply Rating | Speed (MPH) | Part Number | Brand              | TL/TT | Special | Average Wt. (lbs.) | Pallet Ord. Qty | Applications   |
|------------|------------|-------------|-------------|--------------------|-------|---------|--------------------|-----------------|--|
| 6.00-6     | 8          | 120         | 071-317-0   | Michelin® Aviator® | TT    |         | 9                  | 42              |  |
| 6.00-6     | 8          | 160         | 021-317-1   | Michelin® Aviator® | TT/TL |         | 9                  | 42              | Jetstream 31; Pilatus PC7 (NLG)  |
| 6.00-6     | 4          | 120         | 070-315-0   | Michelin® Air™     | TT    |         | 9                  | 42              |  |
| 6.00-6     | 6          | 160         | 061-316-1   | Michelin® Aviator® | TT    |         | 9                  | 135             |  |
| 6.00-6     | 4          | 120         | 071-315-0   | Michelin® Aviator® | TT    |         | 9                  | 42              |  |
| 6.00-6     | 8          | 160         | 070-317-1   | Michelin® Air™     | TT    |         | 9                  | 138             |  |
| 6.50-10    | 12         | 190         | 028-357-0   | Michelin® Aviator® | TL    |         | 18                 | 24              | Piaggio P180, Piper PA-31 (MLG)  |
| 6.50-10    | 8          | 120         | 076-345-0   | Michelin® Air™     | TL    |         | 16                 | 20              | Cessna 208, 310, 335, 401, 402, 414, 421, 425, Piper PA-30, 31 (MLG)   |
| 6.50-10    | 8          | 120         | 077-345-0   | Michelin® Aviator® | TL    |         | 16                 | 20              | Cessna 208, 310, 335, 401, 402, 414, 421, 425, Piper PA-30, 31 (MLG)   |
| 6.50-10    | 10         | 120         | 077-356-0   | Michelin® Aviator® | TL    |         | 16                 | 20              | Cessna 425 Conquest I (MLG)  |
| 6.50-10    | 6          | 120         | 076-367-0   | Michelin® Air™     | TL    |         | 16                 | 24              | Beech King Air 90 (NLG)  |
| 6.50-10    | 12         | 160         | 021-357-1   | Michelin® Aviator® | TT/TL |         | 17                 | 20              | Piper PA-42 (MLG)  |
| 6.50-10    | 6          | 120         | 077-367-0   | Michelin® Aviator® | TL    |         | 16                 | 24              | Beech King Air C90 (NLG)   |
| 6.50-10    | 10         | 120         | 076-356-0   | Michelin® Air™     | TL    |         | 16                 | 20              | Cessna 425 Conquest I (MLG)  |
| 6.50-10    | 10         | 160         | 021-356-1   | Michelin® Aviator® | TT/TL |         | 16                 | 20              | Bombardier CL215, 415 (NLG), Cessna 208 (MLG)  |
| 6.50-10    | 10         | 160         | 076-356-1*  | Michelin® Air™     | TT/TL |         | 16                 | 20              |  |
| 6.50-8     | 8          | 160         | 025-338-0   | Michelin® Air™     | TT/TL |         | 13                 | 30              | Beech Baron 55,56 (MLG)  |
| 6.50-8     | 8          | 160         | 061-338-2   | Michelin® Aviator® | TT    |         | 13                 | 30              | Pilatus PC7 (MLG)  |
| 6.50-8     | 6          | 160         | 025-337-0*  | Michelin® Air™     | TT/TL |         | 13                 | 30              | Embraer EMB110 (NLG)   |
| 7.00-6     | 6          | 120         | 070-313-0   | Michelin® Air™     | TT    |         | 11                 | 30              | Beech 33, 35, 36 (MLG)   |
| 7.00-6     | 8          | 120         | 071-306-0   | Michelin® Aviator® | TT    |         | 11                 | 30              | Piper PA23 (MLG)   |
| 7.00-6     | 6          | 120         | 071-313-0   | Michelin® Aviator® | TT    |         | 11                 | 30              | Beech 33, 35, 36 (MLG)   |
| 7.00-6     | 8          | 120         | 070-306-0   | Michelin® Air™     | TT    |         | 11                 | 30              | Piper PA23 (MLG)   |
| 7.50-14    | 12         | 160         | 028-362-1   | Michelin® Aviator® | TL    |         | 35                 | 15              | Gulfstream 1 (MLG)   |
| 7.50-14    | 8          | 160         | 021-360-0   | Michelin® Aviator® | TL    |         | 28                 | 15              | Convair CV-340,440,540,580/600 (NLG)   |
| 8.00-6     | 6          | 120         | 071-371-0   | Michelin® Aviator® | TT    |         | 13                 | 20              | Cessna 140, 185, 206, 207, 305, 01E, Socata Rallye   |
| 8.50-10    | 10         | 160         | 021-350-0   | Michelin® Aviator® | TL    |         | 25                 | 20              | Gulfstream 690, 680T - Rockwell Int'l 685, 690, 695, 700, 840 (MLG) -Pilatus PC12 (MLG)  |
| 8.50-10    | 8          | 160         | 025-349-0   | Michelin® Air™     | TT/TL |         | 25                 | 20              | Beech 18, 50, 65, 70, 80, 88, King Air 90 - Cessna 188, 208, 308, 406 - Gulfstream 500, 560, 680, 681, 685, 720 - Mitsubishi MU2 - Piaggio 149, 166, 136 - Rockwell Int'l 500, 560, 680, 520 (MLG) |
| 8.50-10    | 10         | 160         | 025-350-0   | Michelin® Air™     | TT/TL |         | 25                 | 20              | Gulfstream 690, 680T - Rockwell Int'l 685, 690, 695, 700, 840 (MLG)  |
| 8.50-10    | 8          | 160         | 021-349-0   | Michelin® Aviator® | TT/TL |         | 25                 | 20              | Beech 18, 50, 65, 70, 80, 88, King Air 90 - Cessna 188, 208, 308, 406 - Gulfstream 500, 560, 680, 681, 685, 720 - Mitsubishi MU2 - Piaggio 149, 166, 136 - Rockwell Int'l 500, 560, 680, 520 (MLG) |
| 8.50-6     | 6          | 120         | 076-325-0   | Michelin® Air™     | TT/TL |         | 14                 | 20              | High flotation, fixed gear   |
| 8.90-12.50 | 6          | 160         | 021-436-0   | Michelin® Aviator® | TL    |         | 25                 | 15              | Bombardier DHC5, DHC6 (NLG)  |

\* Limited production.

NOTE: All weights have been rounded down to the nearest 0.5 lb. for freight calculation purposes.



## MICHELIN® AIR™ & AVIATOR® GENERAL AVIATION BIAS AIRCRAFT TIRES

| Size        | Ply Rating | Speed (MPH) | Part Number | Brand          | TL/TT | Special | Average Wt. (lbs.) | Pallet Ord. Qty | Applications                               |
|-------------|------------|-------------|-------------|----------------|-------|---------|--------------------|-----------------|--|
| H22x8.25-10 | 12         | 190         | 026-618-0   | Michelin® Air™ | TL    |         | 20                 | 24              | Cessna CJ3 (MLG) - Hawker Premier 1 (MLG)  |
| H22x8.25-10 | 14         | 190         | 026-617-0   | Michelin® Air™ | TL    |         | 22                 | 24              | Cessna Citation Encore, Encore+, 560 (MLG) |
| H27x8.5-14  | 16         | 210         | 027-697-0   | Michelin® Air™ | TL    |         | 40                 | 20              | Bombardier Challenger 604 (MLG)            |

## MICHELIN® AIRSTOP® AIRCRAFT INNER TUBES

| Size              | Part Number | Description               | Avg. Weight (lbs) |
|-------------------|-------------|---------------------------|-------------------|
| 11.00-12          | 092-354-0*  | TR-13 / Straight          | 6                 |
| 12.50-16          | 097-368-0*  | TR-101 / Bent 90 degrees  | 9                 |
| 15x6.0-6          | 097-500-0   | TR-20 / Straight          | 1                 |
| 15x6.0-6 (H60 TW) | 092-501-0   | TR-67 / Bent 90 degrees   | 1                 |
| 17.5x6.25-6       | 092-315-0   | TR-20 / Straight          | 1                 |
| 22x8.0-8          | 097-534-0   | TR-15 / Straight          | 3                 |
| 27"               | 097-150-0*  | TR-25 / Straight          | 6                 |
| 355x150-4         | 097-543-0   | AC-5 / Bent 90 degrees    | 1                 |
| 5.00-4            | 097-300-0*  | TR-67 / Bent 90 degrees   | 1                 |
| 5.00-5            | 092-308-0   | TR-67A / Bent 90 degrees  | 1                 |
| 6.00-6            | 092-315-0   | TR-20 / Straight          | 1                 |
| 6.50-10           | 092-344-0   | TR-25 / Straight          | 2                 |
| 6.50-8            | 092-337-0   | TR-15 / Straight          | 2                 |
| 7.00-6            | 092-318-0   | TR-20 / Straight          | 2                 |
| 7.00-8            | 092-337-0   | TR-15 / Straight          | 2                 |
| 7.50-10           | 097-373-0   | TR-25 / Straight          | 3                 |
| 7.50-14           | 097-360-0*  | TR-176A / Bent 60 degrees | 4                 |
| 8.00-6            | 092-318-0   | TR-20 / Straight          | 2                 |
| 8.50-10           | 092-348-0   | TR-25 / Straight          | 3                 |
| 8.90-12.50        | 097-383-0*  | TR-15 / Straight          | 5                 |

\* Limited production.

NOTE: All weights have been rounded down to the nearest 0.5 lb. for freight calculation purposes.



## MICHELIN® AIR X® REGIONAL RADIAL AIRCRAFT TIRES

| Size        | Ply Rating | Speed (MPH) | Part Number | Brand            | TL/TT | Special | Average Wt. (lbs.) | Pallet Ord. Qty | Applications            |
|-------------|------------|-------------|-------------|------------------|-------|---------|--------------------|-----------------|-------------------------|
| 24x7.7R10   | 16         | 225         | M18201      | Michelin® Air X® | TL    |         | 24                 | 20              | Embraer 190 (NLG)       |
| 32x8.8R16   | 12         | 190         | M13201      | Michelin® Air X® | TL    |         | 41                 | 12              | ATR 42 (MLG)            |
| 435x190R5   | 10         | 190         | M09601      | Michelin® Air X® | TL    |         | 13                 |                 | ATR 42, 72 (NLG Option) |
| H34x10.0R16 | 14         | 190         | M10001      | Michelin® Air X® | TL    |         | 55                 | 8               | ATR 72 (MLG)            |
| H41x16.0R20 | 22         | 225         | M18602      | Michelin® Air X® | TL    |         | 129                | 4               | Embraer 190 (MLG)       |

## MICHELIN® AIR™ REGIONAL BIAS AIRCRAFT TIRES

| Size          | Ply Rating | Speed (MPH) | Part Number | Brand          | TL/TT | Special | Average Wt. (lbs.) | Pallet Ord. Qty | Applications                         |
|---------------|------------|-------------|-------------|----------------|-------|---------|--------------------|-----------------|--------------------------------------|
| 17.5x6.25-6   | 8          | 190         | 028-327-0   | AAT®           | TL    |         | 11                 | 30              | Saab 340 (NLG)                       |
| 18x4.4        | 12         | 210         | 027-614-0   | Michelin® Air™ | TL    | CH      | 13                 | 42              | Bombardier CRJ100/200 (NLG)          |
| 18x4.4        | 10         | 210         | 031-613-4   | Michelin® Air™ | TL    | CH      | 13                 | 42              | Fairchild Metro (NLG)                |
| 18x5.5        | 10         | 210         | 033-631-0   | Michelin® Air™ | TL    |         | 14                 | 36              | Embraer EMB120ER (NLG)               |
| 18x5.5        | 8          | 210         | 027-630-0   | Michelin® Air™ | TL    |         | 12                 | 36              | Saab 2000 (NLG)                      |
| 19.5x6.75-8   | 8          | 210         | 027-382-0   | Michelin® Air™ | TL    | CH      | 15                 | 30              | Embraer ERJ135, 140, 145ER/LR (NLG)  |
| 19.5x6.75-8   | 10         | 190         | 028-335-3   | Michelin® Air™ | TL    |         | 15                 | 30              | Fairchild Metro (MLG)                |
| 24x7.25-12    | 12         | 190         | 026-609-0   | Michelin® Air™ | TL    |         | 26                 | 20              | Embraer EMB120 (MLG)                 |
| 24x7.7        | 14         | 190         | 028-675-3   | Michelin® Air™ | TL    |         | 25                 | 20              | Saab 340 (MLG)                       |
| 24x7.7        | 14         | 190         | 026-675-0   | Michelin® Air™ | TL    |         | 26                 | 20              | Saab 340 (MLG) - Dornier Do328 (MLG) |
| 24x7.7        | 10         | 160         | 028-674-0*  | AAT®           | TL    |         | 23                 | 20              | Bombardier DHC7 (NLG)                |
| 28x9.0-12     | 12         | 160         | 028-728-0   | Michelin® Air™ | TL    |         | 35                 | 20              | Jetstream 31 (MLG)                   |
| 32x8.8        | 14         | 210         | 027-711-0   | Michelin® Air™ | TL    |         | 46                 | 12              | Saab 2000 (MLG)                      |
| 33.5x10.75-15 | 12         | 160         | 028-717-1*  | AAT®           | TL    |         | 37                 | 6               | Bombardier DHC7 (MLG)                |
| 450x190-5     | 10         | 190         | 026-545-0   | Michelin® Air™ | TL    |         | 14                 | 30              | ATR 42, 72 (NLG)                     |
| 6.00-6        | 8          | 160         | 021-317-2   | AAT®           | TL    |         | 9                  | 30              | Jetstream 31 (NLG)                   |
| 670x210-12    | 10         | 160         | 028-667-2   | Michelin® Air™ | TL    |         | 30                 | 20              | Embraer EMB110, 121, Xingu (MLG)     |
| H29x9.0-15    | 16         | 210         | 027-438-0   | Michelin® Air™ | TL    |         | 45                 | 20              | Bombardier CRJ100/200 (MLG)          |
| H31x9.75-13   | 12         | 190         | 026-202-0   | Michelin® Air™ | TL    |         | 39                 | 12              | Bombardier DHC8-100/200 (MLG)        |

## MICHELIN® AIR X® COMMERCIAL RADIAL AIRCRAFT TIRES

| Size        | Ply Rating | Speed (MPH) | Part Number | Brand            | TL/TT | Special | Applications              |
|-------------|------------|-------------|-------------|------------------|-------|---------|---------------------------|
| 1050x395R16 | 28         | 225         | M07601      | Michelin® Air X® | TL    |         | A330/A340 (NLG)           |
| 1270x455R22 | 30         | 225         | M13901      | Michelin® Air X® | TL    |         | A321 (MLG)                |
| 1270x455R22 | 32         | 235         | M20101-01   | Michelin® Air X® | TL    |         | A321 (MLG)                |
| 1270x455R22 | 32         | 235         | M17402      | Michelin® Air X® | TL    |         | A380 (NLG)                |
| 1400x530R23 | 36         | 235         | M05102      | Michelin® Air X® | TL    |         | A330/A340 (MLG)           |
| 1400x530R23 | 40         | 235         | M16004      | Michelin® Air X® | TL    |         | A340-500/600, A380 (MLG)  |
| 27x7.75R15  | 12         | 225         | M12801      | Michelin® Air X® | TL    |         | 737-600/700/800/900 (NLG) |
| 27x7.75R15  | 12         | 235         | M15501      | Michelin® Air X® | TL    |         | 737-900ER (NLG)           |
| 30x8.8R15   | 16         | 225         | M08201      | Michelin® Air X® | TL    |         | A318/A319/A320/A321 (NLG) |
| 42x17.0R18  | 26         | 235         | M12501      | Michelin® Air X® | TL    |         | 777-200/300 (NLG)         |
| 45x18.0R17  | 36         | 235         | M14001-01   | Michelin® Air X® | TL    |         | A340-500/600 (NLG)        |
| 46x17.0R20  | 30         | 225         | M01103-02   | Michelin® Air X® | TL    |         | A318/A319/A320 (MLG)      |

\* Limited production.

NOTE: All weights have been rounded down to the nearest 0.5 lb. for freight calculation purposes.



## MICHELIN® AIR X® COMMERCIAL RADIAL AIRCRAFT TIRES

| Size        | Ply Rating | Speed (MPH) | Part Number | Brand            | TL/TT | Special | Applications             |
|-------------|------------|-------------|-------------|------------------|-------|---------|--------------------------|
| 50x20.0R22  | 32         | 235         | M12301      | Michelin® Air X® | TL    |         | 777-200, 767-400ER (MLG) |
| 50x20.0R22  | 34         | 235         | M42201      | Michelin® Air X® | TL    |         | 747-400ER (ALL)          |
| 50x20.0R22  | 26         | 235         | M12901      | Michelin® Air X® | TL    |         | 777-200 (MLG)            |
| H40x14.5R19 | 24         | 225         | M12601-01   | Michelin® Air X® | TL    |         | TU204/TU214 (MLG)        |

## MICHELIN® AIR™ COMMERCIAL BIAS AIRCRAFT TIRES

| Size          | Ply Rating | Speed (MPH) | Part Number | Brand          | TL/TT | Special | Applications                                 |
|---------------|------------|-------------|-------------|----------------|-------|---------|--|
| 24x7.7        | 16         | 225         | 039-677-2   | Michelin® Air™ | TL    |         | 737-200 (NLG)                                |
| 26x6.6        | 12         | 225         | 029-658-0   | Michelin® Air™ | TL    |         | 717, DC9, MD80, MD90 (NLG)                   |
| 26x6.6        | 10         | 225         | 035-657-1   | Michelin® Air™ | TL    | CH      | DC9-10/30 (NLG)                              |
| 27x7.75-15    | 12         | 225         | 029-616-0   | Michelin® Air™ | TL    |         | 737-300/400/500/600/700/800/900 (NLG)        |
| 32x11.5-15    | 12         | 225         | 035-837-2   | Michelin® Air™ | TL    | CH      | 727 (NLG)                                    |
| 34x11         | 22         | 225         | 039-735-0   | Michelin® Air™ | TL    |         | DC8 (NLG)                                    |
| 40x14         | 24         | 225         | 039-769-2   | Michelin® Air™ | TL    |         | DC9 (MLG), A300 (NLG), 737-200 (MLG)         |
| 40x15.5-16    | 28         | 235         | 020-848-0   | Michelin® Air™ | TL    |         | DC10-30 (NLG), MD 11 (NLG)                   |
| 41x15.0-18    | 22         | 225         | 039-856-1   | Michelin® Air™ | TL    |         | DC9-40/50 (MLG)                              |
| 44.5x16.5-18  | 30         | 225         | 032-865-0   | Michelin® Air™ | TL    |         | DC8-73 (MLG)                                 |
| 44x16         | 30         | 225         | 039-778-0   | Michelin® Air™ | TL    |         | DC8 (MLG)                                    |
| 46x16         | 32         | 225         | 039-803-2*  | Michelin® Air™ | TL    |         | 747-200 (ALL)                                |
| 49x17         | 32         | 235         | 020-791-0   | Michelin® Air™ | TL    |         | A300-600, B727 (MLG), B747-100/200/300 (ALL) |
| 49x19.0-20    | 34         | 235         | 040-873-0   | Michelin® Air™ | TL    |         | 747-200/300 (ALL)                            |
| 49x19.0-20    | 32         | 235         | 040-870-0   | Michelin® Air™ | TL    |         | 747-200/300 (ALL)                            |
| 52x20.5-23    | 30         | 235         | 020-885-0   | Michelin® Air™ | TL    |         | DC10-30 (MLG)                                |
| H31x13.0-12   | 20         | 225         | 029-838-0   | Michelin® Air™ | TL    |         | 757-200 (NLG)                                |
| H31x13.0-12   | 20         | 235         | 040-838-0   | Michelin® Air™ | TL    |         | 757-300 (NLG)                                |
| H37x14.0-15   | 24         | 235         | 020-739-0   | Michelin® Air™ | TL    |         | 767 (NLG)                                    |
| H37x14.0-15   | 22         | 225         | 032-744-0   | Michelin® Air™ | TL    |         | 767 (NLG)                                    |
| H40x14.5-19   | 24         | 225         | 039-781-2   | Michelin® Air™ | TL    |         | 737-200/300/400/500, 757-200 (MLG)           |
| H40x14.5-19   | 26         | 225         | 039-800-2   | Michelin® Air™ | TL    |         | 737-200/300/400/500, 757-200 (MLG)           |
| H40x14.5-19   | 26         | 235         | 040-800-1   | Michelin® Air™ | TL    |         | 757-200/300 (MLG)                            |
| H41x15.0-19   | 24         | 225         | 029-896-0*  | Michelin® Air™ | TL    |         | 717 (MLG)                                    |
| H43.5x16.0-21 | 26         | 225         | 029-892-0   | Michelin® Air™ | TL    |         | 737 -700 (MLG)                               |
| H44.5x16.5-20 | 28         | 225         | 039-853-0   | Michelin® Air™ | TL    |         | MD83/87/88 (MLG)                             |
| H44.5x16.5-20 | 26         | 225         | 039-861-1   | Michelin® Air™ | TL    |         | MD80/81/82 (MLG)                             |
| H44.5x16.5-21 | 28         | 225         | 029-894-0   | Michelin® Air™ | TL    |         | 737-600/700/800/900 (MLG)                    |
| H46x18.0-20   | 32         | 235         | 020-807-0   | Michelin® Air™ | TL    |         | 767-300/300ER (MLG)                          |
| H46x18.0-20   | 28         | 225         | 039-859-0   | Michelin® Air™ | TL    |         | 767-200 (MLG)                                |
| H46x18.0-20   | 32         | 235         | 040-807-0   | Michelin® Air™ | TL    |         | 767-300/300ER (MLG)                          |
| H49x19.0-22   | 24         | 225         | 029-813-0   | Michelin® Air™ | TL    |         | 747-400 (ALL)                                |
| H49x19.0-22   | 32         | 235         | 020-805-3   | Michelin® Air™ | TL    |         | 747-400 (ALL)                                |
| H49x19.0-22   | 32         | 235         | 040-805-0   | Michelin® Air™ | TL    |         | 747-400 (ALL)                                |
| H54x21.0-24   | 36         | 235         | 020-888-0   | Michelin® Air™ | TL    |         | MD11 (MLG)                                   |

\* Limited production.

NOTE: All weights have been rounded down to the nearest 0.5 lb. for freight calculation purposes.



# MICHELIN® AIR X® MILITARY RADIAL AIRCRAFT TIRES

| Size            | Ply Rating | Speed (MPH) | Part Number | Brand            | TL/TT | NSN              | Applications                     |
|-----------------|------------|-------------|-------------|------------------|-------|------------------|----------------------------------|
| 17.9x6.7R8      |            | 259         | M16701      | Michelin® Air X® | TL    |                  | F16 Block 60 (NLG)               |
| 18x7.75R6       |            | 235         | M06601      | Michelin® Air X® | TL    |                  | EF2000 (NLG)                     |
| 20x4.4R12       | 14         | 255         | M16401      | Michelin® Air X® | TL    | 2620-01-321-1049 | T38 (MLG)                        |
| 20x8.5R6.5      |            | 235         | M103080     | Michelin® Air X® | TL    | 2620-14-516-1769 | Eurofighter (NLG)                |
| 22x7.75R9       | 26         | 242         | M06002      | Michelin® Air X® | TL    | 2620-01-231-6068 | F15 E (NLG)                      |
| 23.5x7.5R10     |            | 230         | M12401      | Michelin® Air X® | TL    |                  | F22 (NLG)                        |
| 23.5x7.5R10     | 22         | 250         | M17301      | Michelin® Air X® | TL    |                  | F35 (NLG)                        |
| 25.5x8.0R14     |            | 250         | M00806      | Michelin® Air X® | TL    | 2620-01-220-3470 | F16 Block30 (MLG)                |
| 25.5x8.0R14     |            | 250         | M00808      | Michelin® Air X® | TL    | 2620-01-220-3470 | F16 Block30 (MLG)                |
| 26x7.75R13      | 10         | 230         | M16101      | Michelin® Air X® | TL    | 2620-01-252-2753 | AV8B Harrier (MLG)               |
| 26x8.75R11      | 16         | 230         | M16601      | Michelin® Air X® | TL    | 2620-99-783-3900 | AV8B Harrier (NLG)               |
| 27.75x8.75R14.5 |            | 288         | M07704      | Michelin® Air X® | TL    |                  | F16 Block 60 (MLG)               |
| 27.75x8.75R14.5 |            | 259         | M07701      | Michelin® Air X® | TL    | 2620-01-316-7075 | F16 Block 40/50 (MLG)            |
| 28x9.5R15       |            | 235         | M06701      | Michelin® Air X® | TL    |                  | EF2000 (MLG)                     |
| 30.5x10.0R17    |            | 265         | M103180     | Michelin® Air X® | TL    | 2620-14-516-1771 | Eurofighter (MLG)                |
| 30x11.50R14.5   |            | 235         | M10503      | Michelin® Air X® | TL    | 2620-14-445-5792 | Tornado NETMA (MLG)              |
| 30x11.50R14.5   |            | 276         | M13801      | Michelin® Air X® | TL    | 2620-14-504-7849 | Tornado Holloman (MLG)           |
| 30x11.50R14.5   |            | 276         | M13802      | Michelin® Air X® | TL    |                  | Tornado Hot and High (MLG)       |
| 30x7.7R16       |            | 189         | M01803      | Michelin® Air X® | TL    | 2620-14-433-3571 | Super Etendard (NLG)             |
| 34x11.0R17      | 24         | 260         | M17501      | Michelin® Air X® | TL    |                  | F35 CTOL (MLG)                   |
| 360x135R6       |            | 233         | M00306      | Michelin® Air X® | TL    | 2620-14-516-5579 | Mirage 2000 / Mirage F1 (NLG)    |
| 360x135R6       |            | 228         | M06502      | Michelin® Air X® | TL    | 2620-14-516-6381 | Rafale D (NLG)                   |
| 365x150R4       |            | 206         | M01903      | Michelin® Air X® | TL    | 2620-14-421-4287 | Alpha-Jet (NLG)                  |
| 36x11.0R18      | 30         | 262         | M06104      | Michelin® Air X® | TL    | 2620-01-235-2028 | F15 E (MLG)                      |
| 37x11.5R18      |            | 248         | M11501      | Michelin® Air X® | TL    |                  | F22 (MLG)                        |
| 435x190R5       |            | 228         | M00503      | Michelin® Air X® | TL    | 2620-14-433-3583 | Mirage III / V / 50 (NLG)        |
| 490x155R9       |            | 189         | M01402      | Michelin® Air X® | TL    | 2620-14-468-3209 | Super Etendard (NLG)             |
| 520x120R10.5    |            | 215         | M07202      | Michelin® Air X® | TL    | 2620-14-516-6379 | Rafale M (NLG)                   |
| 535x250R6       |            | 244         | M01701      | Michelin® Air X® | TL    | 2620-14-433-3574 | Jaguar (NLG)                     |
| 600x155R13      |            | 233         | M00407      | Michelin® Air X® | TL    | 2620-14-416-5241 | Mirage F1 (MLG)                  |
| 615x225R10      |            | 244         | M10701      | Michelin® Air X® | TL    | 2620-14-421-4288 | Alpha Jet / Jaguar (MLG)         |
| 615x225R10      |            | 162         | M10401      | Michelin® Air X® | TL    | 2620-14-433-3578 | Alpha Jet Light (MLG)            |
| 750x230R15      |            | 262         | M00106      | Michelin® Air X® | TL    | 2620-14-516-6378 | Mirage III / V / 50 / 2000 (MLG) |
| 790x275R15      |            | 242         | M05802      | Michelin® Air X® | TL    | 2620-14-516-6382 | Rafale D (MLG)                   |
| 790x275R16      |            | 226         | M08002      | Michelin® Air X® | TL    | 2620-14-516-6380 | Rafale M (MLG)                   |

\* Limited production.

NOTE: All weights have been rounded down to the nearest 0.5 lb. for freight calculation purposes.





# MICHELIN® AIR™ MILITARY BIAS AIRCRAFT TIRES

| Size            | Ply Rating | Speed (MPH) | Part Number | Brand          | TL/TT | NSN              | Applications            |
|-----------------|------------|-------------|-------------|----------------|-------|------------------|-------------------------|
| 12.50-16        | 12         | 150         | 008-369-0   | Michelin® Air™ | TL    | 2620-00-834-6673 | C130, CH54 (NLG)        |
| 15x6.0-6        | 6          | 69          | 041-501-0   | Michelin® Air™ | TT    | 2620-01-101-5087 | UH60, BLACK HAWK (TLG)  |
| 16x4.4          | 6          | 160         | 041-605-0   | Michelin® Air™ | TT    | 2620-00-555-2267 | T37 (NLG)               |
| 18x4.4          | 6          | 200         | 001-611-0   | Michelin® Air™ | TL    | 2620-00-554-2459 | T38, T39 (NLG)          |
| 18x5.5          | 8          | 160         | 008-630-0   | Michelin® Air™ | TL    | 2620-00-277-5398 | H64 (NLG/MLG)           |
| 18x5.7-8        | 18         | 250         | 005-643-0   | Michelin® Air™ | TL    | 2620-01-157-3821 | F16 A/B/C/D (NLG)       |
| 18x5.7-8        | 14         | 247         | 008-649-1   | Michelin® Air™ | TL    | 2620-00-946-1108 | A4, F4, V22 (NLG)       |
| 18x6.5-8        | 12         | 265         | 008-644-0   | Michelin® Air™ | TL    | 2620-00-779-1194 | F5 A/B/E/F (NLG)        |
| 19x5.25-10      | 12         | 185         | 001-626-0   | Michelin® Air™ | TL    | 2620-00-026-2001 | T45 (NLG)               |
| 20.00-20        | 26         | 200         | 008-413-2   | Michelin® Air™ | TL    | 2620-00-142-5161 | C130 (MLG)              |
| 20x4.4          | 14         | 255         | 008-622-3   | Michelin® Air™ | TL    | 2620-01-042-2783 | T6, T38, JPATS (MLG)    |
| 20x4.4          | 10         | 160         | 012-620-1   | Michelin® Air™ | TL    | 2620-00-287-5248 | T2A, B, C (MLG)         |
| 20x5.5          | 14         | 200         | 007-636-0   | Michelin® Air™ | TL    | 2620-00-936-9416 | E2, C2, A6 (NLG)        |
| 20x5.5          | 16         | 184         | 001-634-1   | Michelin® Air™ | TL    | 2620-00-169-0143 | EA6B (NLG)              |
| 22x5.5          | 12         | 160         | 012-640-0   | Michelin® Air™ | TL    | 2620-00-204-4820 | A17G, CH47, F8 (NLG)    |
| 22x6.6-10       | 22         | 225         | 004-522-1   | Michelin® Air™ | TL    | 2620-01-464-6078 | F14, F18 (NLG)          |
| 22x6.6-10       | 18         | 230         | 005-652-0   | Michelin® Air™ | TL    | 2620-01-493-7878 | F15 A/D Desert (NLG)    |
| 22x6.75-10      | 18         | 201         | 003-525-0   | Michelin® Air™ | TL    | 2620-00-351-5855 | S3 (NLG)                |
| 22x8.5-11       | 16         | 250         | 010-530-2   | Michelin® Air™ | TL    | 2620-00-779-1213 | F5 A/B (MLG)            |
| 23x9.0-8        | 10         | 120         | 001-570-0   | Michelin® Air™ | TL    | 2620-14-524-7025 | Eurocopter Tigre (MLG)  |
| 24x5.5          | 16         | 200         | 048-648-1   | Michelin® Air™ | TL    | 2620-00-051-9925 | A4 (MLG)                |
| 24x5.5          | 12         | 160         | 012-646-0   | Michelin® Air™ | TL    | 2620-00-580-0999 | T2A,B,C (MLG)           |
| 24x7.7          | 20         | 190         | 006-686-0   | Michelin® Air™ | TL    |                  | T45 (MLG)               |
| 24x7.7          | 14         | 250         | 008-675-1   | Michelin® Air™ | TL    | 2620-00-618-0430 | A10, F105 (NLG)         |
| 25.5x8.0-14     | 20         | 250         | 008-665-3   | Michelin® Air™ | TL    | 2620-01-493-7140 | F16 Block 30 (MLG)      |
| 26x10.0-11      | 12         | 69          | 001-822-1   | Michelin® Air™ | TL    | 2620-01-137-3398 | H60 (MLG)               |
| 26x10.0-11      | 10         | 69          | 001-822-0   | Michelin® Air™ | TL    | 2620-01-118-5543 | H60 (MLG)               |
| 26x6.6          | 16         | 200         | 012-660-0   | Michelin® Air™ | TL    | 2620-00-720-3729 | F8, TR1, U2 (MLG)       |
| 27.75x8.75-14.5 | 24         | 270         | 005-668-3   | Michelin® Air™ | TL    | 2620-01-277-2690 | F16 Block 40/50 (MLG)   |
| 28x7.7          | 14         | 200         | 008-683-0   | Michelin® Air™ | TL    | 2620-00-061-4108 | P3 (NLG)                |
| 28x9.0-14       | 22         | 215         | 008-827-2   | Michelin® Air™ | TL    | 2620-00-458-3548 | A7 (MLG)                |
| 29x11.0-10      | 10         | 160         | 001-446-1   | Michelin® Air™ | TL    | 2620-01-019-0759 | OV10 (MLG)              |
| 30x11.50-14.5   | 26         | 247         | 005-834-2   | Michelin® Air™ | TL    | 2620-00-165-4043 | F18 A/D, S3 (MLG)       |
| 32x11.5-15      | 26         | 242         | 005-893-0   | Michelin® Air™ | TL    | 2620-01-455-4869 | F18 E/F (MLG)           |
| 32x8.8          | 16         | 160         | 041-712-0   | Michelin® Air™ | TL    | 2620-00-900-1191 | B52 (Wing)              |
| 34.5x9.75-18    | 26         | 259         | 008-723-3   | Michelin® Air™ | TL    | 2620-01-055-4600 | F15 A/D (MLG)           |
| 34.5x9.75-18    | 26         | 259         | 005-723-0   | Michelin® Air™ | TL    | 2620-01-493-7142 | F15 A/D Desert (MLG)    |
| 34x9.9          | 14         | 160         | 001-726-0   | Michelin® Air™ | TL    | 2620-00-528-9203 | P2, S2 (MLG)            |
| 355x150-4       | 4          | 160         | 065-543-0   | Michelin® Air™ | TT    | 2620-14-514-6183 | Allouette III (NLG/MLG) |
| 35x11.5-16      | 22         | 295         | 008-842-0   | Michelin® Air™ | TL    | 2620-01-208-2894 | B1 (NLG)                |
| 36x11           | 22         | 174         | 008-742-4   | Michelin® Air™ | TL    | 2620-01-129-7607 | A10 (MLG)               |
| 36x11           | 24         | 201         | 008-743-1   | Michelin® Air™ | TL    | 2620-00-834-7441 | EA6B, E2 (MLG)          |
| 38x11           | 14         | 225         | 001-748-2   | Michelin® Air™ | TL    | 2620-00-137-0262 | KC135 (NLG)             |
| 39x13           | 14         | 210         | 033-754-1   | Michelin® Air™ | TL    | 2620-01-038-5800 | L100 (NLG)              |

\* Limited production.

NOTE: All weights have been rounded down to the nearest 0.5 lb. for freight calculation purposes.





# MICHELIN® AIR™ MILITARY BIAS AIRCRAFT TIRES

| Size          | Ply Rating | Speed (MPH) | Part Number | Brand            | TL/TT | NSN              | Applications                             |
|---------------|------------|-------------|-------------|------------------|-------|------------------|--|
| 39x13         | 16         | 225         | 008-755-0   | Michelin® Air™   | TL    | 2620-00-993-1278 | C131, VC137, E3A (NLG)                   |
| 40x14         | 28         | 200         | 012-771-0   | Michelin® Air™   | TL    | 2620-00-928-4502 | P3 (MLG)                                 |
| 40x16.0-14    | 26         | 210         | 008-846-0   | Michelin® Air™   | TL    | 2620-01-409-1814 | C17 (NLG)                                |
| 46x16         | 28         | 225         | 039-784-3   | Michelin® Air™   | TL    | 2620-00-084-6037 | E3A (MLG)                                |
| 49x17         | 26         | 225         | 008-787-1   | Michelin® Air™   | TL    | 2620-00-575-8893 | KC135 (MLG)                              |
| 49x17         | 26         | 200         | 001-787-2   | Michelin® Air™   | TL    | 2620-00-702-2972 | C5 (NLG/MLG)                             |
| 5.00-5        | 10         | 160         | 041-311-0   | Michelin® Air™   | TT    | 2620-00-542-1366 | H2, H43 (MLG)                            |
| 50x21.0-20    | 30         | 225         | 004-877-1   | Michelin® Air™   | TL    | 2620-01-494-0888 | C17 (MLG)                                |
| 56x16         | 38         | 250         | 008-794-1   | Michelin® Air™   | TL    | 2620-00-575-8886 | B52 (MLG)                                |
| 56x20.0-20    | 24         | 210         | 038-881-0   | Michelin® Air™   | TL    | 2620-01-038-5799 | L100 (MLG)                               |
| 6.00-6        | 8          | 120         | 001-317-0   | Michelin® Air™   | TL    | 2620-00-060-7013 | H60, O2 (NLG/MLG)                        |
| 6.50-10       | 10         | 120         | 001-356-0   | Michelin® Air™   | TL    | 2620-00-142-5280 | H3 (NLG/MLG), CH3E, HH3A, SH3A/S/G (MLG) |
| 6.50-8        | 8          | 120         | 001-338-0   | Michelin® Air™   | TL    | 2620-00-466-0897 | OV1 (NLG)                                |
| 615x225-10    | 12         | 120         | 001-596-0   | Michelin® Air™   | TL    |                  | Super Puma (MLG)                         |
| 7.00-6        | 6          | 120         | 041-320-0   | Michelin® Air™   | TL    | 2620-00-269-7553 | O1 (MLG)                                 |
| 7.00-6        | 8          | 120         | 001-321-0   | Michelin® Air™   | TL    |                  | Eurocopter AS330 (NLG/MLG)               |
| 7.00-8        | 16         | 150         | 001-339-1*  | Michelin® Air™   | TL    | 2620-00-110-6636 | A37 (MLG)                                |
| 7.50-10       | 12         | 120         | 055-329-1   | Michelin® Air™   | TL    | 2620-00-935-7357 | OV10 (NLG)                               |
| 8.50-10       | 12         | 120         | 004-351-0   | Michelin® Air™   | TL    | 2620-00-938-5964 | CH47/54, OV1 (NLG/MLG)                   |
| 8.50-10       | 10         | 120         | 001-350-2   | Michelin® Air™   | TL    | 2620-01-168-0164 | AH64 (MLG)                               |
| 8.50-10       | 12         | 120         | 001-351-0   | Michelin Aviator | TL    | 2620-01-530-5087 | H53E, V22 (NLG/MLG)                      |
| 8.50-10       | 10         | 160         | 001-350-1   | Michelin® Air™   | TL    | 2620-00-528-9235 | H53 (NLG/MLG)                            |
| B46x16.0-23.5 | 30         | 276         | 008-887-1   | Michelin® Air™   | TL    | 2620-00-202-5302 | B1B (MLG)                                |

\* Limited production.

NOTE: All weights have been rounded down to the nearest 0.5 lb. for freight calculation purposes.



## Suggested Price List

Suggested list prices are merely suggestions and do not represent a policy of Michelin. Dealer in its sole discretion shall independently determine the price at which it will sell Michelin® products.

### Abbreviations

|            |                     |             |   |             |                      |
|------------|---------------------|-------------|---|-------------|----------------------|
| <b>TT</b>  | Tube Type           | <b>MLG</b>  | Main Landing Gear                         | <b>TL</b>   | Tubeless Type        |
| <b>NLG</b> | Nose Landing Gear   | <b>CH</b>   | Single Chine Deflector                    | <b>CHDU</b> | Dual Chine Deflector |
| <b>NBT</b> | New Bias Technology | <b>AAT®</b> | Advanced Aerospace Tire (non-retreadable) |             |                      |

### Aircraft Application Data

1- THE APPLICATION DATA PRESENTED WITHIN THIS DOCUMENT IS BASED ON THE MOST CURRENT INFORMATION AVAILABLE AND IS INTENDED FOR GENERAL REFERENCE ONLY. Any inquiries regarding specific model aircraft should be directed to the applicable airframe manufacturer. Your requirements may vary depending on the actual configuration of your aircraft. All Michelin® aircraft tires are manufactured in accordance with TSO-C62, Mil-T-5 AIR8505A, and/or applicable airframe manufacturer specification. Contact your Michelin representative for additional specific tire information and availability.

Michelin® AIR X®, Michelin® AIR™, Michelin® Aviator®, Michelin® AAT®, and Michelin® AIRSTOP® are registered trademarks of Michelin Aircraft Tire Company, LLC.

Copyright ©2007 Michelin North America, Inc. All Rights Reserved. Rev1032NAM  
AN EQUAL OPPORTUNITY EMPLOYER



**Michelin Limited Warranty for Michelin® AIR X®, Air™, Aviator® and AAT® Aircraft Tires and AIRSTOP® Inner Tubes**

When used in accordance with The Tire & Rim Association's recommendations, every aircraft tire of Michelin manufacture, bearing our name and a complete serial number, is warranted to be free from defects in workmanship and materials. OUR LIABILITY WITH RESPECT THERETO IS LIMITED, HOWEVER, TO YOUR NET PURCHASE PRICE AFTER CASH AND OTHER DISCOUNTS OF ANY SUCH TIRE PROVED DEFECTIVE, OR, AT OUR OPTION, TO THE REPAIR OR REPLACEMENT OF SUCH TIRE UPON ITS RETURN TO US, TRANSPORTATION CHARGES PREPAID, AND IN EITHER CASE AFTER A PRO-RATA CHARGE FOR ANY SERVICE OBTAINED FROM THE TIRE. EXCEPT AS EXPRESSLY STATED ABOVE, WE MAKE NO WARRANTY, EXPRESS OR IMPLIED, OTHER THAN AS TO TITLE, AND WE SPECIFICALLY DISCLAIM THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE FOREGOING WARRANTIES ARE GIVEN AND ACCEPTED IN LIEU OF ANY AND ALL OTHER WARRANTIES, GUARANTEES, OBLIGATIONS, RIGHTS AND REMEDIES, EXPRESS OR IMPLIED, WHETHER BASED IN NEGLIGENCE, CONTRACT, STRICT LIABILITY, TORT OR OTHERWISE. IN NO EVENT WILL MICHELIN BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES.

**LIMITED WARRANTY – RETREADED TIRES**

When used in accordance with The Tire & Rim Association's recommendations, every aircraft tire retreaded by Michelin is warranted to be free from defects in workmanship and material introduced during the retreading process. OUR LIABILITY WITH RESPECT THERETO IS LIMITED, HOWEVER, TO YOUR NET PURCHASE PRICE AFTER CASH AND OTHER DISCOUNTS OF ANY RETREADING SERVICES PROVED DEFECTIVE, OR, AT OUR OPTION, TO THE REPAIR OR REPLACEMENT OF SUCH RETREADED TIRE UPON ITS RETURN TO US, TRANSPORTATION CHARGES PREPAID, AND IN EITHER CASE AFTER A PRO-RATA CHARGE FOR ANY SERVICE OBTAINED FROM THE TIRE. EXCEPT AS EXPRESSLY STATED ABOVE, WE MAKE NO WARRANTY, EXPRESS OR IMPLIED, OTHER THAN AS TO TITLE, AND WE SPECIFICALLY DISCLAIM THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE FOREGOING WARRANTIES ARE GIVEN AND ACCEPTED IN LIEU OF ANY AND ALL OTHER WARRANTIES, GUARANTEES, OBLIGATIONS, RIGHTS AND REMEDIES, EXPRESS OR IMPLIED, WHETHER BASED IN NEGLIGENCE, CONTRACT, STRICT LIABILITY, TORT OR OTHERWISE. IN NO EVENT WILL MICHELIN BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES.

